Designing for Urban Sustainability and Resiliency in an Era of Climate Change

Paul Muzio
paul.muzio@csi.cuny.edu
Yauheni Dzedzits
yauheni.dzedzits@csi.cuny.edu
Nikolaos Trikoupis
nikolaos.trikoupis@csi.cuny.edu

ACKNOWLEDGEMENTS

The CUNY HPC Center acknowledges support from the following:

- NSF Grants 0855217, 0958379,1126113
- NYC Council through the efforts of Councilman James Oddo
- New York State Regional Economic Development Grant
- CUNY's Office of the Corporate Information Officer

AGENDA

- The City University of New York (CUNY)
- The CUNY High Performance Computing Center
- Designing for Urban Resiliency and Sustainability in an Era of Climate Change (Examples)

CUNY – The Beginning

- The “Free Academy” - City College of New York - 1847
  - Tuition-free
  - Based solely on merit
  - Economically disadvantaged and those precluded from attending the leading universities because of ethnicity or gender.
- Hunter College - 1870
  - Tuition-free teacher-training school, based solely on merit, for young women.
  - Incorporated an elementary and high school for gifted children.

CUNY - Today

- Senior Colleges (12)
  - (1847) City College
  - (1870) Hunter College
  - (1919) Baruch College
  - (1930) Brooklyn College
  - (1937) Queens College
  - (1946) New York City College of Technology
  - (1955) College of Staten Island
  - (1964) John Jay College of Criminal Justice
  - (1966) York College
  - (1968) Lehman College
  - (1970) Medgar Evers College
  - (2005) William E. Macaulay Honors College
- Community Colleges (7)
  - (1957) Bronx Community College
  - (1958) Queensborough Community College
  - (1963) Borough of Manhattan Community College
  - (1963) Kingsborough Community College
  - (1968) LaGuardia Community College
  - (1970) Hostos Community College
  - (2013) Guttman Community College
- Graduate and Professional Schools (6)
  - (1961) CUNY Graduate Center
  - (1973) Sophie Davis School of Biomedical Education
  - (1983) School of Law
  - (2006) Graduate School of Journalism
  - (2006) School of Professional Studies
  - (2008) School of Public Health

CUNY - Today

- Enrollment
  - 269,000 students in degree programs
  - 247,000 students in non-degree programs
  - 170 different languages spoken
- Tuition
  - About $6,000 per year
  - Approx 60% of students pay no tuition
- Gender
  - 61% female
  - 39% male
- Ethnicity
  - 0.2% American Indian/Native Alaskan
  - 15.8% Asian/Pacific Islander
  - 27.1% Afro-American
  - 25.7% Hispanic
  - 31.2% White
- 68% attended New York City public high schools
- 42% first time college students



CUNY - Alumni

- 12 Nobel prize winners
  - 11 were first in their family to go to college
- 2 Fields Medal winners
- Many Pulitzer Prize Winners
- Dr. Jonas Salk, Polio Vaccine
- According to Standard and Poor, more CEO's than any other US University

- Andy Grove, co-founder and former CEO, Intel Corp.
- Robert Kahn, Co-developer of TCP/IP
- C. Wang, Computer Associates
- B. Chizen, Adobe

Computing Facility – 2014

- 2,300 sq. ft. raised floor
- 500 KVA UPS
- 750 KVA diesel
- 120 tons AC

New Facilities - 2018

- New 200,000 sq. ft. facility in planning stages
- 10,000 sq. ft. of raised floor
- Staff offices
- $10 million committed for facility design
- Expected occupancy: 2018

Existing Systems (Jan 2012)

System	Cores	Chip	Memory/ core (GB)	Interconnect	Type of jobs
Bob	232	Barcelona	2	IB	Gaussian09
Andy	744	Nehalem	3	DDR, QDR	Up to 16 cores
Penzias	1,152 144	SandyBridge Kepler K20	4	FDR PCIe gen3	Up to 128 cores GPU jobs
Salk	2,816	Magny-Cours	2	Gemini	Environmental Science, Molecular dynamics
Karle	24	Westmere	4 / 96	SMP	Matlab,SAS
TBA					

Bob – Robert Kahn, co-developer TCP/IP
Andy – Andy Grove, co-founder, Intel
Salk – Jonas Salk, developer of the polio vaccine
Karle – Jerome Karle, mathematician, chemist, Nobel Laureate
Penzias – Arno Penzias, physicist, Nobel Laureate



A S Grove
Intel Corporation
2200 Mission College Blvd.
P.O. Box 58119
Santa Clara, CA 95052-8119

intel.

Paul Muzio, Director
CUNY High Performance Computing Center
College of Staten Island
2800 Victory Boulevard
Staten Island, New York 10314

UNITED STATES POSTAGE
PITNEY BOWES
02 1M
0004224428
$ 00.44⁰
APR 08 2010
MAILED FROM ZIPCODE 85014

Mr. Muzio,

please treat my 'namesake' well — I am counting on 'Andy' to pick up where I leave off.—

Best,

A.S. Grove Andy (#1)

HPC Environment



ADCIRC Benchmark



- Job packed 8 cores per node on Penzias (8 cores are reserved to support GPU usage)
- Job packed 16 cores per node on Salk

ENVIRONMENT

1293 COMMENTS

U.S. Climate Has Already Changed, Study Finds, Citing Heat and Floods

By JUSTIN GILLIS MAY 6, 2014



Rising Temperatures

1991-2012 average temperature compared with 1901-1960 average

NYTimes, 7 May 2014

PlaNYC



- Comprehensive planning document for NYC
- Provide for 1 million more inhabitants by 2030
- Cut carbon footprint by 30% by 2030
- New York panel on climate change
- Community by community
- 500 pages
- Also available in Chinese and Japanese
- Annual progress reports

The New York Solar Map

- To enable all owners of the one million buildings in NYC to assess the value of their solar PV potential
- Reduce the strain on the NYC electric grid during peak periods, lower chances of blackouts
- Reduce carbon footprint
- Create green jobs



Courtesy: S. Ahearn, Hunter College/CUNY

Solar Insolation Calculation



- LiDAR mapping of the City, 30 cm resolution
- Create a digital surface model (DSM) from the LiDAR data
- Calculate solar incidence (MATLAB)

- Determine the area on each rooftop suitable for solar panels
- Calculate cost/benefit

Hydrokinetic Power Generation

- Typical hydrokinetic turbine
  - 5 to 10 meter diameter
  - 50 KW/turbine
  - Usually installed in estuaries
  - Verdant Power, New York's East River

Hydrokinetic Power Generation

- Predict locations where tidal flows in estuaries along the New Jersey coast are conducive for electric power generation
  - Funded by Bureau of Research, New Jersey Department of Transportation
- Finite Volume Coastal Ocean Model
- Typical runs of 1,024 cores
  - 2.6 days/run
  - Linear scaling



Courtesy: H. Tang, CCNY/CUNY

Hydrokinetic Power Generation



Fig. 14. Top sites with regard to average power density. (a) $\overline{P} \geq 250$ W/m², (b) $\overline{P} \geq 500$ W/m² and (c) $\overline{P} \geq 1000$ W/m².

Courtesy: H. Tang, CCNY/CUNY

μ WRF



- Weather prediction model to provide weather forecasting for densely populated urban areas at a fine-scale (1 km)
- Based on WRF
- Building energy parametrization model
- Building energy model



Courtesy: J. Gonzalez & M. Arend, CCNY/CUNY

Model Set-up

- Three two-way nested domains with a grid spacing of 9, 3 and 1 km are defined. Initial and boundary conditions from North American Regional Reanalysis (resolution: 32 km). NCEP/MMAB data at 0.5 degree will update the sea surface temperature every 24-h.
- Vertical resolution of 51 terrain following sigma levels (33 levels in the lowest 1.5 km, first level ~10m).
- PBL Parameterization: Bougeault and Lacarrère (BouLac).
- Radiation Schemes: RRTM long term radiation and Dudhia short term radiation.
- Cumulus Scheme: Kain Fritsch
- Microphysics: WMD6
- Urban classes were derived from the National Land Cover Data (NLCD).
- Urban canopy parameters from National Urban Database and Access Portal Tool (NUDAPT) are assimilated in WRF on a GRIDDED basis.



Model Domains

μ WRF NYCMetNet



a) Hyper spectral radiometer
b) Sodar to 300 m
c) Radar Wind Proifiler to 2 km
d) Backscatter aerosol Lidar
e) Building top Met Tower
f) Sodar to 400 m

μ WRF vs NYCMetNet observations



Surface temperature distribution (left) and differences between modeling and observation (right) at 1500 LST July 6th during the heat wave event that took place July 5th-7th, 2010 in NYC Metro Area. The small errors between model and observations in mid and downtown areas represent a significant improvement over existing modeling capabilities.

μ WRF


uWRF Model Recap
air.ccny.cuny.edu/ws/wrfn/anirmaster3.wrfmetnet.php?cloud=ani1/2014&case=20140416&chann0=wind&submit3=Select_Data_Type
Reader
NYCMetNet
The Optical Remote Sensing Laboratory of The City College of New York
138th St. & Convent Ave., New York, NY 10031
Home
Surface Observations
Upper-Air Measurements
Data Access
Air Quality
Forecast
Documentation
Links
Current Server Time: 6:07:46 PM (EST); 11:07:46 PM (UTC)
MetNet version 1.8.2
NYCMetNet » uWRF Model Prediction Recap » 04/16/2014
Wind Barb Definitions »
About uWRF Model »
40°55'N
40°50'N
40°45'N
40°40'N
74°10'W
74°5'W
74°W
73°55'W
73°50'W
WIND REPLAY
This animation plot shows the hourly wind speeds [shaded (mil/h)] and wind directions (barbs) (3-meters above ground) as predicted by uWRF for the 1-km grid of the domain in NYC. Predictive analysis is performed daily by the model, yielding scenarios up to 72 hours in advance. Users may capture the image for every hour by pausing the animation, then right clicking on the image and then saving by selecting "save as".
04/16/2014 08:00 UTC, or 04/16/2014 04:00 EDT 9/24 images
Slower
Faster
Cycle Off
Pause On
Step
Set Speed
Grid Off
Select_New_Date
wind
Select_Data_Type
Wind Speed (mph)
0 5 10 15 20 25 30 35 40
ESRL/GSD and its data providers disclaim liability of any kind whatsoever, including, without limitation, liability for quality, performance, merchantability and fitness for a particular purpose arising out of the use or inability to use the data presented herein.
This research was supported, in part, by a grant of computer time from the City University of New York High Performance Computing Center under NSF Grants CNS-0855217, CNS-0958379 and ACI-1126113.
Program Code Copyright © Thomas Legbandt 2010, 2011, 2012, 2013, 2014
About | Contact Us | Security & Privacy | User Agreement and Data Sources
3,607 Visitors
2 Oct 2012 - 14 Apr 2014
ClustrMaps
Click to see

Hurricane Sandy 2012



Population statistics:

New York City	8,330,000
Brooklyn & Queens	4,740,000
Long Island (including Brooklyn and Queens)	7,570,000

Hurricane Sandy - 2012







PlaNYC







What could happen in the future?

Understanding the Risk: Prior to Sandy, FEMA's maps had not been updated since 1983 and understated the risk in many areas

- Approximately 1/2 of all impacted residential units were outside 100-year floodplain
- More than 1/2 of all impacted buildings were outside 100-year floodplain



Source: FEMA and SIRR

Hydrodynamic Mapping

- Prepared for PlaNYC-SIRR by Stevens Inst of Tech
- Factors sea level rise (SLR) into Flood Maps (2050/2080)
- Used ADCIRC/SWAN, FEMA R2 maps, FEMA procedures, but includes SLR
- Chart
  - Blue = 100y flood, present
  - Red = 100y flood for 2080 with 90th percentile SLR scenario



Courtesy: Orton, Vinogradov, Georgas, Blumberg, Stevens Inst. Of Tech

Analysis of quick dune repairs on Staten Island



- LL: Showing areas of flooding
- UR: Hindcast with quick dune fix except area adjacent to Federal property
- LR: Sandy hindcast with full dune restoration







Courtesy: Dzedzits, Kress, Benimoff, CSI/CUNY

Oyster bed reefs







- Evaluate the potential benefit of oyster bed reefs on wave height reduction
- UL – No reefs
- UR – With reefs
- LR – Estimate of wave height reduction

Stevens: Orton, Vinogradov, Georgas, Blumberg, Stevens Inst. Of Tech.

Thank you